Author Index of Volume 454

Alt, H.G., 165

Babu, R.P.K., 157
Bag, N., 237
Behrens, U., 151
Beletskaya, I.P., 1
Bianchi, M., C17
Bott, S.G., 273
Brauers, G., 247
Brunner, H., 87, 117

Carver, J.A., C11
Chakravorty, A., 237
Chan, H.S.O., 205
Chen, J.-D., 173
Chuklanova, E.B., 1
Cingolani, A., 59
Csonka, G.I., 15
Cuenca, T., 105

Daran, J.-C., 51
Dubac, J., 51

Eaborn, C., C26
Eder, S.J., 257
Eremenko, I.L., 229
Erker, G., 113

Fenske, D., 95
Field, L.D., 217
Fischer, H., 133
Fraústo Da Silva, J.J.R., C8, 211
Frediani, P., C17
Fu, S., C11
Fun, H.-K., 67, 73
Fürst, J., 87

Gautheron, B., 51
Gehart, G., 117
George, A.V., 217
Ghosh, P., 237
Gilbert, S., 79
Gioia Lobbia, G., 59
Goddard, R., C20
Goesmann, H., 95
Gómez, R., 105
Gómez-Sal, P., 105
Gusev, A.I., 1

Hadziioannou, G., 25
Han, J.S., 165
Hencsei, P., 15
Herrmann, W.A., 257
Hissink, D., 25
Hor, T.S.A., 205
Huang, B.-C., 173
Huang, Y.-Z., 101
Huttner, G., 183

Itoh, K., C13

Jiang, K.-Y., 221

Kaim, W., 9
Kane-Maguire, L.A.P., C11
Kanj, A., 51
Kazennova, N.B., 123
Kisin, A.V., 1
Knoeppel, D.W., 263
Knorr, M., 79
Kolobkov, B.I., 229
Koltun, E.S., 229
Korek, U., 113
Krause, J.A., 263
Kreiter, C.G., 199
Krishnamurthy, S.S., 157
Krüger, C., C20
Kurumatani, S., C13

Lahiri, G.K., 237
Lehr, K., 199
Lemenovskii, D.A., 123
Leonesi, D., 59
Lesch, A., 35
Lewiński, J., 5
Lin, Y.-C., 173
Lorenzotti, A., 59
Low, P.M.N., 205

Mach, K., C1
Maciejewski, H., 45
Mańk, B., 5
Marchetti, F., 59
Marciniec, B., 45
Masuda, K., C13
Meier, W., 117
Metzler, N., C5
Meunier, P., 51
Michalik, M., 95
Mynott, R., C20

Nefedov, S.E., 229
Nethaji, M., 157
Neumann, M., C20
Nikonov, G.I., 123
Nöth, H., C5
Nuber, B., 117
Nürnberg, O., 247

Ohkita, H., C13
Ojima, I., 281
Okechukwu, R.C., 67

Pasynkiewicz, S., 5
Pasynskii, A.A., 229
Pellinghelli, M.A., C8, 211
Peters, K., 35
Pettinari, C., 59
Piacenti, F., C17
Piel, H., 35
Pitter, S., 183
Pombeiro, A.J.L., C8, 211
Poppe, J., 9
Pramanik, A., 237
Putala, M., 123

Rau, D., 151
Reindl, D., 133
Rheingold, A.L., 113
Richards, R.L., C8
Richmond, M.G., 273
Rogers, R.D., 165
Roth, G., 133
Royo, P., 105

Salupo, T.A., 263
Salvini, A., C17
Scherer, W., 257
Schlünken, C., 243
Schmid, G., C1
Schubert, U., 79
Shore, S.G., 263
Siriwardane, U., 263
Smith, P.J., 73
Struchkov, Y.T., 123, 229

Teo, S.-B., 67, 73
Teoh, S.-G., 67, 73
Thewalt, U., C1
Tillack, A., 95
Tiripicchio, A., C8, 211
Troll, C., 133

Uhl, W., 9

Van Bolhuis, F., 25
Van Hutten, P.F., 25
Varga, V., C1
Vester, A., 9
Von Schnering, H.G., 35
Voskoboynikov, A.Z., 1

Wachter, J., 117
Walter, O., 183
Wang, H.-G., 221
Wang, R.-J., 221
Wang, Y., C8, 173, 211
Weidenbruch, M., 35

Wermer, J.R., 263
Werner, H., 243, 247
Wilke, G., C20
Wu, C.-K., 173
Wu, I.-Y., 173
Wu, Y., 221

Xi, H.-P., 221

Yan, Y.K., 205
Yang, K., 273
Yanovsky, A.I., 229
Yeap, G.-Y., 73
Yufit, D.S., 123

Zachara, J., 5
Zhang, L.-J., 101
Zhang, Z., 281
Zhang, Z.-Z., 221
Zhao, W.-J., 221
Ziegler, J., 87
Zsolnai, L., 183

Subject Index of Volume 454

Aluminium

Synthesis and molecular structure of $AlMe[O{=}C(OMe)C_6H_4\text{-}o\text{-}O]_2$. The first structurally characterized five-coordinated simple alkylaluminium chelate complex (J. Lewiński, J. Zachara, B. Mańk and S. Pasynkiewicz), 5

Dialan-Radikalanionen $[R_2Al{-}AlR_2]^{\cdot-}$ (W. Uhl, A. Vester, W. Kaim und J. Poppe), 9

Antimony

On tertiary stibine. I. Reaction of ω-bromoacetophenone with aldehydes mediated by diphenylantimonyorganometallic reagents (L.-J. Zhang and Y.-Z. Huang), 101

Chromium

α-Addition von Aminen, Iminen und Hydrazinen an Allenyliden-Komplexe — Bildung von Carben-, Azetidinyliden- und Nitril-Komplexen (H. Fischer, G. Roth, D. Reindl und C. Troll), 133

Dimethylencyclobuten als Komplexligand. Synthese und Struktur von Tricarbonyl(η^6-diisopropylidencyclobuten)chrom und Bis(η^2-dimethylencyclobuten)(η^5-indenyl)rhodium (D. Rau und U. Behrens), 151

Cobalt

Bidentate ligand substitution in $PhCCo_3(CO)_9$. Synthesis, molecular structure, and redox reactivity of $PhCCo_3(CO)_7$(*cis*-$Ph_2PCH{=}CHPPh_2$) (K. Yang, S.G. Bott and M.G. Richmond), 273

Copper

Studies on binuclear complexes. Synthesis and catalytic behaviour of Fe–M complexes (M = Mo, Ni, Rh, Cu, Hg) using *trans*-$Fe(Ph_2Ppy)_2(CO)_3$ [Ph_2Ppy = 2-(diphenylphosphino)pyridine] as a neutral tridentate ligand. Molecular structure of $FeHg(\mu\text{-}Ph_2Ppy)_2(CO)_3(SCN)_2$ (Z.-Z. Zhang, H.-P. Xi, W.-J. Zhao, K.-Y. Jiang, R.-J. Wang, H.-G. Wang and Y. Wu), 221

Germanium

An easy route to 1-germaindenes via a transmetallation zirconium–germanium reaction (A. Kanj, P. Meunier, B. Gautheron, J. Dubac and J.-C. Daran), 51

Gold

Substituted metal carbonyls. XXII. Synthesis of 1,1′-bis(diphenylphosphino)ferrocene-bridged complexes with two heterometallic Au–M (M = Mn and Re) bonds (P.M.N. Low, Y.K. Yan, H.S.O. Chan and T.S.A. Hor), 205

Iron

Übergangsmetall-Silyl-Komplexe. XLVII. Deprotonierung der elektronenreichen Hydrido-Silyl- Komplexe $Fe(CO)_2(dppe)(H)(SiR_3)$ und $Fe(CO)(dppe)H_3(SiR_3)$; Darstellung der Komplexe $Fe(CO)_2(dppe)(EMe_3)(SiR_3)$ und $Fe(CO)(dppe)H_2(EMe_3)(SiR_3)$ (E = Sn, Pb) aus den korrespondierenden anionischen Komplexen (U. Schubert, S. Gilbert und M. Knorr), 79

Substituted metal carbonyls. XXII. Synthesis of 1,1′-bis(diphenylphosphino)ferrocene-bridged complexes with two heterometallic Au–M (M = Mn and Re) bonds (P.M.N. Low, Y.K. Yan, H.S.O. Chan and T.S.A. Hor), 205

The use of high reaction pressures in the synthesis of acetylide complexes of iron (L.D. Field and A.V. George), 217

Studies on binuclear complexes. Synthesis and catalytic behaviour of Fe–M complexes (M = Mo, Ni, Rh, Cu, Hg) using *trans*-$Fe(Ph_2Ppy)_2(CO)_3$ [Ph_2Ppy = 2-(diphenylphosphino)pyridine] as a neutral tridentate ligand. Molecular structure of $FeHg(\mu\text{-}Ph_2Ppy)_2(CO)_3(SCN)_2$ (Z.-Z. Zhang, H.-P. Xi, W.-J. Zhao, K.-Y. Jiang, R.-J. Wang, H.-G. Wang and Y. Wu), 221

Synthesis and molecular structures of $S_2Fe_2(CO)_6$ heterometallic derivatives, containing $(Ph_3P)_2Pt$ or CpRe(CO) fragments (A.A. Pasynskii, B.I. Kolobkov, S.E. Nefedov, I.L. Eremenko, E.S. Koltun, A.I. Yanovsky and Y.T. Struchkov), 229

The use of $[(C_6H_7)Fe(CO)_3]^+$ as a recoverable protecting group in peptide synthesis (S. Fu, J.A. Carver and L.A.P. Kane-Maguire), C11

Lead

Übergangsmetall-Silyl-Komplexe. XLVII. Deprotonierung der elektronenreichen Hydrido-Silyl- Komplexe $Fe(CO)_2(dppe)(H)(SiR_3)$ und $Fe(CO)(dppe)H_3(SiR_3)$; Darstellung der Komplexe $Fe(CO)_2(dppe)(EMe_3)(SiR_3)$ und $Fe(CO)(dppe)H_2(EMe_3)(SiR_3)$ (E = Sn, Pb) aus den korrespondierenden anionischen Komplexen (U. Schubert, S. Gilbert und M. Knorr), 79

Lutetium

Metalcarbonylates of lanthanides. Unexpected formation of the trinuclear cluster $[Na(DME)_3]_2[W_3(CO)_{14}]$ (I.P. Beletskaya, A.Z. Voskoboynikov, E.B. Chuklanova, A.I. Gusev and A.V. Kisin), 1

Magnesium

A titanium-magnesium complex containing perpendicularly bridging bis(trimethylsilyl)acetylene ligands: $[(\eta^5\text{-}C_5H_5)Ti][(\eta^5\text{-}C_5H_5)\text{-}Mg][\mu\text{-}\eta^2:\eta^2\text{-}C_2(SiMe_3)_2]_2$ (V. Varga, K. Mach, G. Schmid and U. Thewalt), C1

Manganese

Synthese und Struktur zweikerniger Cyclopentadienyltricarbonylmangan-Komplexe vom Typ $(CO)_3Mn[(\eta^5\text{-}C_5H_4)\text{-}X\text{-}(\eta^5\text{-}C_5H_4)]Mn(CO)_3$ (S. Pitter, G. Huttner, O. Walter und L. Zsolnai), 183

Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. VII. Photoreaktionen von Tricarbonyl-η^5-dienyl-mangan-Komplexen mit 6,6-Dimethylfulven (C.G. Kreiter und K. Lehr), 199

Substituted metal carbonyls. XXII. Synthesis of 1,1′-bis(diphenylphosphino)ferrocene-bridged complexes with two heterometallic

Au–M (M = Mn and Re) bonds (P.M.N. Low, Y.K. Yan, H.S.O. Chan and T.S.A. Hor), 205

Mercury

Studies on binuclear complexes. Synthesis and catalytic behaviour of Fe–M complexes (M = Mo, Ni, Rh, Cu, Hg) using *trans*-$Fe(Ph_2Ppy)_2(CO)_3$ [Ph_2Ppy = 2-(diphenylphosphino)pyridine] as a neutral tridentate ligand. Molecular structure of $FeHg(\mu\text{-}Ph_2Ppy)_2(CO)_3(SCN)_2$ (Z.-Z. Zhang, H.-P. Xi, W.-J. Zhao, K.-Y. Jiang, R.-J. Wang, H.-G. Wang and Y. Wu), 221

Metallocenes

Preparation and structure of bis(η^5-methylcyclopentadienyl)titanaindane (G. Erker, U. Korek and A.L. Rheingold), 113

New metallocene complexes of Nb and Ta with functionalized diazoalkanes (D.A. Lemenovskii, M. Putala, G.I. Nikonov, N.B. Kazennova, D.S. Yufit and Y.T. Struchkov), 123

Formation of $[cp_2Zr(C{\equiv}C\text{–}SiMe_3)]_2$ from the reaction of zirconocene with trimethylsilylacetylene (N. Metzler and H. Nöth), C5

Molybdenum

Organometallic chemistry of diphosphazanes. VIII. Synthesis, spectroscopic studies and crystal structure of *fac*-$[Mo(CO)_3(MeCN)\{Ph_2PN(^iPr)P(Ph)(DMP)\}]$, and its reactions with tertiary phosphines (R.P.K. Babu, S.S. Krishnamurthy and M. Nethaji), 157

Photoinduzierte Desalkylierungsreaktionen an Indenyl- und Fluorenyl-funktionalisierten Cyclopentadienyltricarbonyl-Methylkomplexen des Molybdäns und Wolframs. Molekülstrukturen von $(\eta^5:\eta^1\text{-}C_5H_4CMe_2C_9H_6)Mo(CO)_3$, $(\eta^5:\eta^1\text{-}C_5H_4CMe_2C_{13}H_8)W(CO)_3$ und $[(\eta^5\text{-}C_5H_4(CH_2)_3C_{13}H_9)W(CO)_3]_2$ (H.G. Alt, J.S. Han und R.D. Rogers), 165

Studies on binuclear complexes. Synthesis and catalytic behaviour of Fe–M complexes (M = Mo, Ni, Rh, Cu, Hg) using *trans*-$Fe(Ph_2Ppy)_2(CO)_3$ [Ph_2Ppy = 2-(diphenylphosphino)pyridine] as a neutral tridentate ligand. Molecular structure of $FeHg(\mu\text{-}Ph_2Ppy)_2(CO)_3(SCN)_2$ (Z.-Z. Zhang, H.-P. Xi, W.-J. Zhao, K.-Y. Jiang, R.-J. Wang, H.-G. Wang and Y. Wu), 221

Nickel

Catalysis of hydrosilylation. XXIII. Effect of substituents at silicon on unusual hydrosilylation of vinylsilanes catalysed by nickel acetylacetonate (B. Marciniec and H. Maciejewski), 45

Studies on binuclear complexes. Synthesis and catalytic behaviour of Fe–M complexes (M = Mo, Ni, Rh, Cu, Hg) using *trans*-$Fe(Ph_2Ppy)_2(CO)_3$ [Ph_2Ppy = 2-(diphenylphosphino)pyridine] as a neutral tridentate ligand. Molecular structure of $FeHg(\mu\text{-}Ph_2Ppy)_2(CO)_3(SCN)_2$ (Z.-Z. Zhang, H.-P. Xi, W.-J. Zhao, K.-Y. Jiang, R.-J. Wang, H.-G. Wang and Y. Wu), 221

Übergangsmetallallyle. VII. Synthese von η^3-Allylnickel- und η^3-Allylpalladiumkomplexen mit Trifluoracetatgruppen als Brückenliganden (R. Goddard, C. Krüger, R. Mynott, M. Neumann und G. Wilke), C20

Niobium

Von $Cp^+_2Nb(\eta^2\text{-}S_2)H$ zu $Cp^+_3Nb_3S_{12}$: Reaktivitätsstudien an Niobocensulfiden (H. Brunner, G. Gehart, W. Meier, J. Wachter und B. Nuber), 117

New metallocene complexes of Nb and Ta with functionalized diazoalkanes (D.A. Lemenovskii, M. Putala, G.I. Nikonov, N.B. Kazennova, D.S. Yufit and Y.T. Struchkov), 123

Osmium

Stabile Allyl(hydrido)osmium-Komplexe ohne Olefin- und Arenliganden (C. Schlünken und H. Werner), 243

Mehrfachbindungen zwischen Hauptgruppenelementen und Übergangsmetallen. CXVI. Tetrakis(2-methylpropyl)oxoosmium(VI), ein thermisch stabiles, sterisch überladenes d^2-Alkylmetalloxid mit β-ständigem Wasserstoff (W.A. Herrmann, S.J. Eder und W. Scherer), 257

Preparation of $[Os_3(CO)_{11}]^{2-}$ and its reactions with $Os_3(CO)_{12}$; structures of $[Et_4N][HOs_3(CO)_{11}]$ and $H_2Os_4(CO)_{13}$ (J.A. Krause, U. Siriwardane, T.A. Salupo, J.R. Wermer, D.W. Knoeppel and S.G. Shore), 263

Palladium

Übergangsmetallallyle. VII. Synthese von η^3-Allylnickel- und η^3-Allylpalladiumkomplexen mit Trifluoracetatgruppen als Brückenliganden (R. Goddard, C. Krüger, R. Mynott, M. Neumann und G. Wilke), C20

Phosphorus

Übergangsmetall-Silyl-Komplexe. XLVII. Deprotonierung der elektronenreichen Hydrido-Silyl- Komplexe $Fe(CO)_2(dppe)(H)(SiR_3)$ und $Fe(CO)(dppe)H_3(SiR_3)$; Darstellung der Komplexe $Fe(CO)_2(dppe)(EMe_3)(SiR_3)$ und $Fe(CO)(dppe)H_2(EMe_3)(SiR_3)$ (E = Sn, Pb) aus den korrespondierenden anionischen Komplexen (U. Schubert, S. Gilbert und M. Knorr), 79

Enantioselektive Katalyse. LXXXI. Optisch aktive Zweischalenphosphine (H. Brunner, J. Fürst und J. Ziegler), 87

Asymmetrische Katalyse. III. Synthese, spektroskopische Untersuchungen und katalytische Wirkung eines neuen chiralen Phosphanliganden (A. Tillack, M. Michalik, D. Fenske und H. Goesmann), 95

Stabile Allyl(hydrido)osmium-Komplexe ohne Olefin- und Arenliganden (C. Schlünken und H. Werner), 243

Platinum

Synthesis and molecular structures of $S_2Fe_2(CO)_6$ heterometallic derivatives, containing $(Ph_3P)_2Pt$ or CpRe(CO) fragments (A.A. Pasynskii, B.I. Kolobkov, S.E. Nefedov, I.L. Eremenko, E.S. Koltun, A.I. Yanovsky and Y.T. Struchkov), 229

Rhenium

Syntheses and reactions of metal carbonyl complexes containing the trimethylsilylmethyl ligand; CO insertion reactions assisted by the trimethylsilylmethyl groups (J.-D. Chen, C.-K. Wu, I.-Y. Wu, B.-C. Huang, Y.-C. Lin and Y. Wang), 173

Substituted metal carbonyls. XXII. Synthesis of 1,1′-bis(diphenylphosphino)ferrocene-bridged complexes with two heterometallic Au–M (M = Mn and Re) bonds (P.M.N. Low, Y.K. Yan, H.S.O. Chan and T.S.A. Hor), 205

Synthesis of the pseudohalide-dinitrogen complexes *trans*-$[ReX(N_2)(Ph_2PCH_2CH_2PPh_2)_2]$ (X = NCS, NCO or N_3) and crystal structures of the isothiocyanate and azide complexes (Y. Wang, J.J.R. Fraústo Da Silva, A.J.L. Pombeiro, M.A. Pellinghelli and A. Tiripicchio), 211

Synthesis and molecular structures of $S_2Fe_2(CO)_6$ heterometallic derivatives, containing $(Ph_3P)_2Pt$ or CpRe(CO) fragments (A.A. Pasynskii, B.I. Kolobkov, S.E. Nefedov, I.L. Eremenko, E.S. Koltun, A.I. Yanovsky and Y.T. Struchkov), 229

Aminocarbyne coupling reactions leading to the bis(amino)acetylene complexes *trans*-$[MF(\eta^2\text{-}MeHNC{\equiv}CNHMe)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (M = Mo or W) and cleavage of the acetylenic-triple bond. A reformulation, and X-ray structure of the Mo com-

ple bond. A reformulation, and X-ray structure of the Mo compound (J.J.R. Fraústo da Silva, M.A. Pellinghelli, A.J.L. Pombeiro, R.L. Richards, A. Tiripicchio and Y. Wang), C8

Rhodium

Asymmetrische Katalyse. III. Synthese, spektroskopische Untersuchungen und katalytische Wirkung eines neuen chiralen Phosphanliganden (A. Tillack, M. Michalik, D. Fenske und H. Goesmann), 95

Dimethylencyclobuten als Komplexligand. Synthese und Struktur von Tricarbonyl(η^6-diisopropylidencyclobuten)chrom und Bis(η^2-dimethylencyclobuten)(η^5-indenyl)rhodium (D. Rau und U. Behrens), 151

Studies on binuclear complexes. Synthesis and catalytic behaviour of Fe–M complexes (M = Mo, Ni, Rh, Cu, Hg) using *trans*-$Fe(Ph_2Ppy)_2(CO)_3$ [Ph_2Ppy = 2-(diphenylphosphino)pyridine] as a neutral tridentate ligand. Molecular structure of $FeHg(\mu\text{-}Ph_2Ppy)_2(CO)_3(SCN)_2$ (Z.-Z. Zhang, H.-P. Xi, W.-J. Zhao, K.-Y. Jiang, R.-J. Wang, H.-G. Wang and Y. Wu), 221

Syntheses of nitrogen heterocycles by means of amine-directed carbonylation and hydrocarbonylation (Z. Zhang and I. Ojima), 281

Ruthenium

Syntheses and reactions of metal carbonyl complexes containing the trimethylsilylmethyl ligand; CO insertion reactions assisted by the trimethylsilylmethyl groups (J.-D. Chen, C.-K. Wu, I.-Y. Wu, B.-C. Huang, Y.-C. Lin and Y. Wang), 173

Paramagnetic organometallics formed by *o*-metallation of phenolic Schiff bases by ruthenium(III) (P. Ghosh, A. Pramanik, N. Bag, G.K. Lahiri and A. Chakravorty), 237

Reaktionen der Aren(carbonyl)ruthenium-Komplexe [$C_6Me_6Ru(CO)Cl_2$] und [(Mes)$Ru(CO)Cl_2$] mit Alkyl- und Allyl-Grignardreagenzien. Die Kristall- und Molekülstruktur von {[η^5-$C_6Me_6(CH_2CH{=}CH_2)$]Ru(*exo*-η^3-C_3H_5)(CO)} (H. Werner, G. Brauers und O. Nürnberg), 247

Regiospecific Cp^*Ru^+ mediated codimerization of conjugated dienes. with non-conjugated 1,5-dienes and its application to catalytic cooligomerization (K. Masuda, H. Ohkita, S. Kurumatani and K. Itoh), C13

A ruthenium dihydrogen complex as intermediate in the synthesis of [$RuH(CO)_2(MeCO_2)(P^nBu_3)_2$] from [Ru(H)2$(CO)_2(P^nBu_3)_2$] (P. Frediani, A. Salvini, M. Bianchi and F. Piacenti), C17

Silicon

Dialan-Radikalanionen $[R_2Al\text{–}AlR_2]^-$ (W. Uhl, A. Vester, W. Kaim und J. Poppe), 9

AM1 and PM3 semiempirical molecular orbital study of silatranes. III. 1-chlorosilatrane (G.I. Csonka and P. Hencsei), 15

Synthesis and crystal structure of *para*-substituted diphenylsilanes of interest for nonlinear optics: sulfonyl acceptor groups (D. Hissink, P.F. van Hutten, G. Hadziioannou and F. van Bolhuis), 25

Siliciumverbindungen mit starken intramolekularen sterischen Wechselwirkungen. L. Reaktionen von Silylenen und Disilenen mit 2,2′-Bipyridyl, Pyridin-2-aldiminen und α-Ketoiminen: Cycloadditionen *versus* C–H-Insertion (M. Weidenbruch, H. Piel, A. Lesch, K. Peters und H.G. von Schnering), 35

Catalysis of hydrosilylation. XXIII. Effect of substituents at silicon on unusual hydrosilylation of vinylsilanes catalysed by nickel acetylacetonate (B. Marciniec and H. Maciejewski), 45

Übergangsmetall-Silyl-Komplexe. XLVII. Deprotonierung der elektronenreichen Hydrido-Silyl- Komplexe $Fe(CO)_2(dppe)(H)(SiR_3)$ und $Fe(CO)(dppe)H_3(SiR_3)$; Darstellung der Komplexe $Fe(CO)_2(dppe)(EMe_3)(SiR_3)$ und $Fe(CO)(dppe)H_2(EMe_3)(SiR_3)$ (E = Sn, Pb) aus den korrespondierenden anionischen Komplexen (U. Schubert, S. Gilbert und M. Knorr), 79

Synthesis and characterization of ansa-dimethylsilylbiscyclopentadienyl titanium(II) complexes. Crystal structure of [Ti{$Me_2Si(C_5H_4)_2$}{$CN(2,6\text{-}Me_2C_6H_3)$}$_2$] (T. Cuenca, R. Gómez, P. Gómez-Sal and P. Royo), 105

Formation of $[cp_2Zr(C{\equiv}C\text{–}SiMe_3)]_2$ from the reaction of zirconocene with trimethylsilylacetylene (N. Metzler and H. Nöth), C5

Sodium

Metalcarbonylates of lanthanides. Unexpected formation of the trinuclear cluster $[Na(DME)_3]_2[W_3(CO)_{14}]$ (I.P. Beletskaya, A.Z. Voskoboynikov, E.B. Chuklanova, A.I. Gusev and A.V. Kisin), 1

Tantalum

New metallocene complexes of Nb and Ta with functionalized diazoalkanes (D.A. Lemenovskii, M. Putala, G.I. Nikonov, N.B. Kazennova, D.S. Yufit and Y.T. Struchkov), 123

Tin

Tin(IV) and organotin(IV) complexes with heterocyclic β-diketonates. I. Bis-[4(1-phenyl-3-methylpyrazol-5-one)]-dioxoalkane derivatives (C. Pettinari, F. Marchetti, A. Cingolani, D. Leonesi, G. Gioia Lobbia and A. Lorenzotti), 59

A complex salt formed in reactions of $^nBuSnCl_3$ with 1-(2-methyl-2,3-dihydrobenzothiazol-2-yl)-2-ketones (S.-B. Teo, S.-G. Teoh, R.C. Okechukwu and H.-K. Fun), 67

The structures of the adducts formed from organotin moieties and 1-[(4-methoxyphenylimino)methyl]-2-naphthol. Crystal structure of chloro-trimethyl[1-[(4-methoxyphenylimino)methyl]-2-naphthol]tin(IV): $Me_3SnCl \cdot [HOC_{10}H_6CH : NC_6H_4OCH_3]$ (S.-G. Teoh, S.-B. Teo, G.-Y. Yeap, H.-K. Fun and P.J. Smith), 73

Übergangsmetall-Silyl-Komplexe. XLVII. Deprotonierung der elektronenreichen Hydrido-Silyl- Komplexe $Fe(CO)_2(dppe)(H)(SiR_3)$ und $Fe(CO)(dppe)H_3(SiR_3)$; Darstellung der Komplexe $Fe(CO)_2(dppe)(EMe_3)(SiR_3)$ und $Fe(CO)(dppe)H_2(EMe_3)(SiR_3)$ (E = Sn, Pb) aus den korrespondierenden anionischen Komplexen (U. Schubert, S. Gilbert und M. Knorr), 79

Titanium

Synthesis and characterization of ansa-dimethylsilylbiscyclopentadienyl titanium(II) complexes. Crystal structure of [Ti{$Me_2Si(C_5H_4)_2$}{$CN(2,6\text{-}Me_2C_6H_3)$}$_2$] (T. Cuenca, R. Gómez, P. Gómez-Sal and P. Royo), 105

Preparation and structure of bis(η^5-methylcyclopentadienyl)titanaindane (G. Erker, U. Korek and A.L. Rheingold), 113

A titanium-magnesium complex containing perpendicularly bridging bis(trimethylsilyl)acetylene ligands: [(η^5-C_5H_5)Ti][(η^5-C_5H_5)-Mg][μ-η^2 : η^2-$C_2(SiMe_3)_2$]$_2$ (V. Varga, K. Mach, G. Schmid and U. Thewalt), C1

Tungsten

Metalcarbonylates of lanthanides. Unexpected formation of the trinuclear cluster $[Na(DME)_3]_2[W_3(CO)_{14}]$ (I.P. Beletskaya, A.Z. Voskoboynikov, E.B. Chuklanova, A.I. Gusev and A.V. Kisin), 1

α-Addition von Aminen, Iminen und Hydrazinen an Allenyliden-Komplexe — Bildung von Carben-, Azetidinyliden- und Nitril-Komplexen (H. Fischer, G. Roth, D. Reindl und C. Troll), 133

Photoinduzierte Desalkylierungsreaktionen an Indenyl- und Fluorenyl-funktionalisierten Cyclopentadienyltricarbonyl-Methylkomplexen des Molybdäns und Wolframs. Molekülstrukturen von

($\eta^5:\eta^1$-$C_5H_4CMe_2C_9H_6$)$Mo(CO)_3$, ($\eta^5:\eta^1$-$C_5H_4CMe_2C_{13}H_8$)-$W(CO)_3$ und [(η^5-$C_5H_4(CH_2)_3C_{13}H_9$)$W(CO)_3$]$_2$ (H.G. Alt, J.S. Han und R.D. Rogers), 165

Syntheses and reactions of metal carbonyl complexes containing the trimethylsilylmethyl ligand; CO insertion reactions assisted by the trimethylsilylmethyl groups (J.-D. Chen, C.-K. Wu, I.-Y. Wu, B.-C. Huang, Y.-C. Lin and Y. Wang), 173

Zirconium

An easy route to 1-germaindenes via a transmetallation zirconium–germanium reaction (A. Kanj, P. Meunier, B. Gautheron, J. Dubac and J.-C. Daran), 51

Formation of [$cp_2Zr(C{\equiv}C{-}SiMe_3)]_2$ from the reaction of zirconocene with trimethylsilylacetylene (N. Metzler and H. Nöth), C5

Book review

Comprehensive Handbook on Hydrosilylation, B. Marciniec (ed.) (C. Eaborn), C26